



TOP SELECTION GARDEN 2018 - MODERN RANGE



**NEW
PRODUCTS**



NINA150
for details see pag.4




ABRAM150
for details see pag.6

LORENZA150
for details see pag.8



**MADE IN
ITALY**

NEW PRODUCTS



UP&DOWN



FLOODLIGHT



IN-GROUND



BRICKLIGHT



BULKHEAD



BOLLARD & POLE

NINA RANGE

RECESSED



MADE IN ITALY



6C1.000.J1L


NINA LED VERSIONS				
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE
R7s LED	4W	400Lm	100-240V 50/60 Hz	4000K 3000K
R7s LED	8,5W	900Lm	100-240V 50/60 Hz	4000K 3000K
R7s LED	11W	1200Lm	100-240V 50/60 Hz	4000K 3000K



AVAILABLE COLORS			
RESIN BODY (MOULDED COLOURS)			DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)	OPAL (Y)

NINA 150

	LED R7s LAMP INCLUDED	4W	4000K 3000K	6C1.000.J1L 6C1.000.J1R
--	---------------------------------	-----------	-----------------------	----------------------------




400 Lm

Master box: 50pcs

NINA 190

	LED R7s LAMP INCLUDED	8,5W	4000K 3000K	7C1.000.K1L 7C1.000.K1R
--	---------------------------------	-------------	-----------------------	----------------------------

Available from
End January 2019




900 Lm

Master box: 50pcs

NINA 270

	LED R7s LAMP INCLUDED	11W	4000K 3000K	8C1.000.P1L 8C1.000.P1R
--	---------------------------------	------------	-----------------------	----------------------------

Available from
End January 2019



1200 Lm

Master box: 50pcs

ABRAM RANGE



UP&DOWN




MADE IN ITALY



AB1.000.11R

ABRAM LED VERSIONS				
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE
 R7s LED	4W	400Lm	100-240V 50/60 Hz	4000K 3000K
 R7s LED	8,5W	900Lm	100-240V 50/60 Hz	4000K 3000K



AVAILABLE COLORS		
RESIN BODY (MOULDED COLOURS)		
BLACK (A)	GREY (L)	WHITE (W)
		
DIFFUSER		
CLEAR (X)		
		

ABRAM 150

	LED R7s LAMP INCLUDED	4w	4000K	AB1.000.J1L
			3000K	AB1.000.J1R



NEW **400 Lm**

Master box: 30pcs

ABRAM 190

	LED R7s LAMP INCLUDED	8,5w	4000K	AB2.000.K1L
			3000K	AB2.000.K1R

Available from
End January 2019



NEW **900 Lm**

Master box: 30pcs

LORENZA 150


SURFACE



MADE IN ITALY



AS1.000.J1L


LORENZA LED VERSIONS				
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE
 R7s LED	4W	400Lm	100-240V 50/60 Hz	4000K
				3000K

ENERGY CLASSIFICATION
 A+ A A- B C D E
A+

AVAILABLE COLORS

RESIN BODY <small>(MOULDED COLOURS)</small>			DIFFUSER
BLACK (A) 	GREY (L) 	WHITE (W) 	CLEAR (X) 


LORENZA 150



NEW

LED
R7s LAMP INCLUDED

4W	4000K AS1.000.J1L
	3000K AS1.000.J1R



150
150
45

*Master box: **24pcs***

CARLO



BOLLARD RANGE



MADE IN ITALY



DR1.575

CARLO LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
	3,5W	400Lm	100-240V 50/60 Hz	4000K	=  50W HALOGEN
				3000K	

ENERGY CLASSIFICATION
A++ A+ A B C D E

A+

AVAILABLE COLORS

RESIN BODY (MOULDED COLOURS)



DIFFUSER

BLACK (A) GREY (L) WHITE (W) CLEAR (X)



CARLO 800

LED GU10 LAMP INCLUDED **3,5W** 4000K DR1.575.U1L
3000K DR1.575.U1R






NEW

Master box: **6pcs**

CARLO 400

LED GU10 LAMP INCLUDED **3,5W** 4000K DR1.574.U1L
3000K DR1.574.U1R

NEW

Master box: **12pcs**

CARLO 250

LED GU10 LAMP INCLUDED **3,5W** 4000K DR1.573.U1L
3000K DR1.573.U1R




NEW

Master box: **20pcs**

CARLO SPIKE

LED GU10 LAMP INCLUDED **3,5W** 4000K DR1.572.U1L
3000K DR1.572.U1R




NEW

Master box: **20pcs**

CARLO

WALL LAMP RANGE





MADE IN ITALY



DR1.571



CARLO LED VERSIONS				
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE
	3,5W	400Lm	100-240V 50/60 Hz	4000K
				3000K
				=  50W HALOGEN

ENERGY CLASSIFICATION
энергия · энергия



A+

AVAILABLE COLORS			
RESIN BODY (MOULDED COLOURS)			DIFFUSER
			
BLACK (A)	GREY (L)	WHITE (W)	CLEAR (X)

CARLO WALL



LED
GU10 LAMP INCLUDED

3,5W

4000K
3000K

DR1.570.U1L
DR1.570.U1R



Master box: 20pcs

NEW

CARLO-FS



LED
GU10 LAMP INCLUDED

3,5W

4000K
3000K

DR1.571.U1L
DR1.571.U1R



Master box: 20pcs



NEW

AMELIA

BOLLARD RANGE



DR2.575

AMELIA LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
 FILAMENT LED E27	6W	800Lm	100-240V 50/60 Hz	4000K 2700K	60W INCANDESCENT
	8W	1000Lm	100-240V 50/60 Hz	4000K 2700K	75W INCANDESCENT
 FILAMENT LED E27 (A20)	12W	1500Lm	100-240V 50/60 Hz	4000K 2700K	100W INCANDESCENT

ENERGY CLASSIFICATION

ENERGY CLASSIFICATION

A+ A A B C D E

A+

AVAILABLE COLORS

RESIN BODY (MOULDED COLOURS)



BLACK (A) GREY (L) WHITE (W)

DIFFUSER

OPAL (Y)

AMELIA 800

LED FILAMENT LAMP INCLUDED	6W	4000K 2700K	DR2.575.F1L DR2.575.F1R
	8W	4000K 2700K	DR2.575.M1L DR2.575.M1R
12W	4000K 2700K	DR2.575.N1L DR2.575.N1R	






Master box: **6pcs**

NEW

AMELIA 400

LED FILAMENT LAMP INCLUDED	6W	4000K 2700K	DR2.574.F1L DR2.574.F1R
	8W	4000K 2700K	DR2.574.M1L DR2.574.M1R
12W	4000K 2700K	DR2.574.N1L DR2.574.N1R	

Master box: **12pcs**

NEW

AMELIA 250

LED FILAMENT LAMP INCLUDED	6W	4000K 2700K	DR2.573.F1L DR2.573.F1R
	8W	4000K 2700K	DR2.573.M1L DR2.573.M1R
12W	4000K 2700K	DR2.573.N1L DR2.573.N1R	






Master box: **20pcs**

NEW

AMELIA SPIKE

LED FILAMENT LAMP INCLUDED	6W	4000K 2700K	DR2.572.F1L DR2.572.F1R
	8W	4000K 2700K	DR2.572.M1L DR2.572.M1R
12W	4000K 2700K	DR2.572.N1L DR2.572.N1R	

Master box: **20pcs**

NEW

AMELIA

WALL LAMP RANGE



MADE IN ITALY



DR2.570

AMELIA LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
 FILAMENT LED L27	6W	800Lm	100-240V 50/60 Hz	4000K 2700K	 = 60W INCANDESCENT
	8W	1000Lm	100-240V 50/60 Hz	4000K 2700K	 = 75W INCANDESCENT
 FILAMENT LED L27 (A20)	12W	1500Lm	100-240V 50/60 Hz	4000K 2700K	 = 100W INCANDESCENT

ENERGY CLASSIFICATION

ENERGIA - ενεργεια

A+ A A- A B C D E

A+

AVAILABLE COLORS

RESIN BODY (MOULDED COLOURS)

BLACK (A) GREY (L) WHITE (W)

DIFFUSER

OPAL (Y)

AMELIA WALL

LED FILAMENT LAMP INCLUDED

6W	4000K 2700K	DR2.570.F1L DR2.570.F1R
8W	4000K 2700K	DR2.570.M1L DR2.570.M1R
12W	4000K 2700K	DR2.570.N1L DR2.570.N1R

Master box: **20pcs**

NEW

AMELIA-FS

LED FILAMENT LAMP INCLUDED

6W	4000K 2700K	DR2.571.F1L DR2.571.F1R
8W	4000K 2700K	DR2.571.M1L DR2.571.M1R
12W	4000K 2700K	DR2.571.N1L DR2.571.N1R

Master box: **20pcs**

NEW

FRANCA 90

UP&DOWN








MADE IN ITALY



3A7.000



FRANCA 90 LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
	3,5W	400Lm	100-240V 50/60 Hz	4000K 3000K	=  50W HALOGEN
2x 	2x 3,5W 7W	800Lm	100-240V 50/60 Hz	4000K 3000K	=  2x 50W HALOGEN



FRANCA 90

LED GU10 LAMP INCLUDED	3,5W	4000K 3000K	3A7.000.U1L 3A7.000.U1R
--	-------------	-----------------------	----------------------------




NEW

Master box: **30pcs**

FRANCA 90 SPIKE

LED GU10 LAMP INCLUDED	3,5W	4000K 3000K	3A7.001.U1L 3A7.001.U1R
--	-------------	-----------------------	----------------------------




NEW

Master box: **30pcs**

FRANCA 90-1L WALL

LED GU10 LAMP INCLUDED	3,5W	4000K 3000K	3A7.002.U1L 3A7.002.U1R
--	-------------	-----------------------	----------------------------






NEW

Master box: **30pcs**

FRANCA 90-2L WALL

LED GU10 LAMP INCLUDED	3,5W	4000K 3000K	3A7.003.U2L 3A7.003.U2R
--	-------------	-----------------------	----------------------------

NEW

Master box: **20pcs**

ESTER

BOLLARD RANGE



MADE IN ITALY



DS1.564



ESTER LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
	3W	350Lm	100-240V 50/60 Hz	4000K 3000K	40W INCANDESCENT
	7W	800Lm	100-240V 50/60 Hz	4000K 3000K	75W INCANDESCENT
	10W	1200Lm	100-240V 50/60 Hz	4000K 3000K	100W INCANDESCENT

ENERGY CLASS
A++ A+ A B C D E

A+

AVAILABLE COLORS			
RESIN BODY + STEPPED REFLECTOR (MOULDED COLOURS)			DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)	CLEAR (X)

ESTER 800

LED
GX53 LAMP INCLUDED

3W	4000K 3000K	DS1.564.G1L DS1.564.G1R
7W	4000K 3000K	DS1.564.C1L DS1.564.C1R
10W	4000K 3000K	DS1.564.D1L DS1.564.D1R

126
800
175

Master box: **6pcs**

NEW

ESTER 500

LED
GX53 LAMP INCLUDED

3W	4000K 3000K	DS1.563.G1L DS1.563.G1R
7W	4000K 3000K	DS1.563.C1L DS1.563.C1R
10W	4000K 3000K	DS1.563.D1L DS1.563.D1R

126
480
175

NEW SIZE

Master box: **12pcs**

NEW

ESTER WALL

LED
GX53 LAMP INCLUDED

3W	4000K 3000K	DS1.560.G1L DS1.560.G1R
7W	4000K 3000K	DS1.560.C1L DS1.560.C1R
10W	4000K 3000K	DS1.560.D1L DS1.560.D1R

126
165
165

Master box: **18pcs**

NEW

ESTER SPIKE

LED
GX53 LAMP INCLUDED

3W	4000K 3000K	DS1.561.G1L DS1.561.G1R
7W	4000K 3000K	DS1.561.C1L DS1.561.C1R
10W	4000K 3000K	DS1.561.D1L DS1.561.D1R

126
165
175

Master box: **18pcs**

NEW

ELISA

BOLLARD RANGE



MADE IN ITALY



DS2.564

ELISA LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
	3W	350Lm	100-240V 50/60 Hz	4000K 3000K	40W INCANDESCENT
	7W	800Lm	100-240V 50/60 Hz	4000K 3000K	75W INCANDESCENT
	10W	1200Lm	100-240V 50/60 Hz	4000K 3000K	100W INCANDESCENT

ENERGY CLASS
класс энергопотребления

A+

AVAILABLE COLORS

RESIN BODY (MOULDED COLOURS)

BLACK (A) GREY (L) WHITE (W)

DIFFUSER

CLEAR (X)

WITH WHITE RESIN REFLECTOR

ELISA 800

LED GX53 LAMP INCLUDED

3W	4000K 3000K	DS2.564.G1L DS2.564.G1R
7W	4000K 3000K	DS2.564.C1L DS2.564.C1R
10W	4000K 3000K	DS2.564.D1L DS2.564.D1R

Master box: **6pcs**

NEW

ELISA 500

LED GX53 LAMP INCLUDED

3W	4000K 3000K	DS2.563.G1L DS2.563.G1R
7W	4000K 3000K	DS2.563.C1L DS2.563.C1R
10W	4000K 3000K	DS2.563.D1L DS2.563.D1R

Master box: **12pcs**

NEW SIZE

NEW

ELISA WALL

LED GX53 LAMP INCLUDED

3W	4000K 3000K	DS2.560.G1L DS2.560.G1R
7W	4000K 3000K	DS2.560.C1L DS2.560.C1R
10W	4000K 3000K	DS2.560.D1L DS2.560.D1R

Master box: **18pcs**

NEW

ELISA SPIKE

LED GX53 LAMP INCLUDED

3W	4000K 3000K	DS2.561.G1L DS2.561.G1R
7W	4000K 3000K	DS2.561.C1L DS2.561.C1R
10W	4000K 3000K	DS2.561.D1L DS2.561.D1R

Master box: **18pcs**

NEW

MARTA 90





UP&DOWN



MADE IN ITALY



2A4.000

MARTA 90 LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
	3,5W	400Lm	100-240V 50/60 Hz	4000K 3000K	=  50W HALOGEN
2x 	2x 3,5W 7W	800Lm	100-240V 50/60 Hz	4000K 3000K	=  2x 50W HALOGEN

ENERGY CLASSIFICATION

ENERGY CLASSIFICATION ENERGY CLASSIFICATION

A+ A A- A B C D E

A+

AVAILABLE COLORS

RESIN BODY (MOULDED COLOURS)

BLACK (A) GREY (L) WHITE (W)

DIFFUSER

FROSTED (X) BLUE (U)

GREEN (N) ORANGE (R)

MARTA90 1L

	LED GU10 LAMP INCLUDED	3,5W	4000K	1A4.000.U1L
			3000K	1A4.000.U1R



Master box: **36pcs**

MARTA90 2L

	LED GU10 LAMP INCLUDED	2x3,5W 7W	4000K	2A4.000.U2L
			3000K	2A4.000.U2R



Master box: **36pcs**

MARTA 160









UP&DOWN











MADE IN ITALY



1A6.000

MARTA160 LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
MARTA160 1L 	3W	350Lm	100-240V 50/60 Hz	4000K 3000K	≡  40W INCANDESCENT
	7W	800Lm	100-240V 50/60 Hz	4000K 3000K	≡  75W INCANDESCENT
	10W	1200Lm	100-240V 50/60 Hz	4000K 3000K	≡  100W INCANDESCENT
MARTA160 2L 	2x3W 6W	700Lm	100-240V 50/60 Hz	4000K 3000K	≡  2x40W INCANDESCENT
	2x7W 14W	1600Lm	100-240V 50/60 Hz	4000K 3000K	≡  2x75W INCANDESCENT
	2x10W 20W	2400Lm	100-240V 50/60 Hz	4000K 3000K	≡  2x100W INCANDESCENT




AVAILABLE COLORS	
RESIN BODY (MOULDED COLOURS)	DIFFUSER
 BLACK (A)  GREY (L)  WHITE (W)	 FROSTED (X)  BLUE (U)  GREEN (N)  ORANGE (R)

MARTA160 1L



E27	1A6.000.E27	
3W	4000K 3000K	1A6.000.G1L 1A6.000.G1R
7W	4000K 3000K	1A6.000.C1L 1A6.000.C1R
10W	4000K 3000K	1A6.000.D1L 1A6.000.D1R

LED
GX53
LAMP
INCLUDED




Master box: **18pcs**

MARTA160 2L



2x3W	4000K 3000K	2A6.000.G2L 2A6.000.G2R
2x7W	4000K 3000K	2A6.000.C2L 2A6.000.C2R
2x10W	4000K 3000K	2A6.000.D2L 2A6.000.D2R

LED
GX53
LAMP
INCLUDED



Master box: **18pcs**

FRANCY
UP&DOWN

fumagalli
since 1973

MADE IN
ITALY



NEW 4000K



1A1.000.F1R

FRANCY LED VERSIONS				
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE
 FILAMENT LED E27	6W	800Lm	100-240V 50/60 Hz	4000K NEW = 60W INCANDESCENT
			2700K	
 2x GX53 LED	2x3W 6W	700Lm	100-240V 50/60 Hz	4000K = 75W INCANDESCENT
			3000K	

ENERGY CLASS

A+ ENERGY CLASS

AVAILABLE COLORS			
RESIN BODY (MOULDED COLOURS)			DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)	OPAL (Y)

FRANCY

LED FILAMENT LAMP INCLUDED	POWER	COLOUR TEMPERATURE	MODEL
6W	4000K	1A1.000.F1L	
	2700K	1A1.000.F1R	
6W+SENSOR	4000K	1A1.000.S1L	
	2700K	1A1.000.S1R	

AVAILABLE VERSIONS SUPPLIED FULLY PRE-WIRED

FILAMENT LED	FILAMENT LED + SENSOR

Master box: 24pcs

FRANCY-OP

LED LAMP INCLUDED	POWER	COLOUR TEMPERATURE	MODEL
6W FILAMENT LED	4000K	2A1.000.E27	
	2700K	2A1.000.F1R	
2x3W 6W	4000K	2A1.000.G2L	
	3000K	2A1.000.G2R	
E27 WITH SENSOR	220-240V	2A1.000.E57	

AVAILABLE VERSIONS SUPPLIED FULLY PRE-WIRED

E27	E27 SENSOR
E27 FILAMENT LED	2x GX53 LED

Master box: 24pcs

MINITOMMY

FLOODLIGHT



MADE IN ITALY



INSULATED
INSULATION
CLASS

1M1.001



MINITOMMY LED VERSIONS						ENERGY CLASS A++ A+ A B C D E	AVAILABLE COLORS				
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE			RESIN BODY (MOULDED COLOURS)		DIFFUSER		
	3,5W	400Lm	100-240V 50/60 Hz	4000K 3000K	= 50W HALOGEN	A+					
2x	2x 3,5W 7W	800Lm	100-240V 50/60 Hz	4000K 3000K	= 2x 50W HALOGEN						



MINITOMMY

LED GU10 LAMP INCLUDED

4000K	1M1.000.U1L
3,5W	3000K 1M1.000.U1R

Master box: **30pcs**

MINITOMMY SPIKE

4000K	1M1.001.U1L
3,5W	3000K 1M1.001.U1R

Master box: **30pcs**



MINITOMMY-EL

LED GU10 LAMP INCLUDED

4000K	1M2.000.U1L
3,5W	3000K 1M2.000.U1R

Master box: **30pcs**

MINITOMMY-EL SPIKE

4000K	1M2.001.U1L
3,5W	3000K 1M2.001.U1R

Master box: **30pcs**



MINITOMMY 2L

LED GU10 LAMP INCLUDED

2x 4000K	3M1.000.U2L
3,5W	3000K 3M1.000.U2R

Master box: **18pcs**

MINITOMMY 2L SPIKE

2x 4000K	3M1.001.U2L
3,5W	3000K 3M1.001.U2R

Master box: **18pcs**



MINITOMMY-EL 2L

LED GU10 LAMP INCLUDED

2x 4000K	3M2.000.U2L
3,5W	3000K 3M2.000.U2R

Master box: **18pcs**

MINITOMMY-EL 2L SPIKE

2x 4000K	3M2.001.U2L
3,5W	3000K 3M2.001.U2R

Master box: **18pcs**

NEWS
UP/DOWN
20
26
36
40
46
64
64
72
76
LAMP

TOMMY







FLOODLIGHT




MADE IN ITALY





2M1.000

TOMMY LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
	3W	350Lm	100-240V 50/60 Hz	4000K 3000K	 40W INCANDESCENT
	7W	800Lm	100-240V 50/60 Hz	4000K 3000K	 75W INCANDESCENT
	10W	1200Lm	100-240V 50/60 Hz	4000K 3000K	 100W INCANDESCENT



TOMMY-SQ		
3W	4000K 3000K	5M1.000.G1L 5M1.000.G1R
7W	4000K 3000K	5M1.000.C1L 5M1.000.C1R
10W	4000K 3000K	5M1.000.D1L 5M1.000.D1R

TOMMY-SQ SPIKE		
3W	4000K 3000K	5M1.001.G1L 5M1.001.G1R
7W	4000K 3000K	5M1.001.C1L 5M1.001.C1R
10W	4000K 3000K	5M1.001.D1L 5M1.001.D1R





Master box: **18pcs**

Master box: **18pcs**



TOMMY		
3W	4000K 3000K	2M1.000.G1L 2M1.000.G1R
7W	4000K 3000K	2M1.000.C1L 2M1.000.C1R
10W	4000K 3000K	2M1.000.D1L 2M1.000.D1R

TOMMY SPIKE		
3W	4000K 3000K	2M1.001.G1L 2M1.001.G1R
7W	4000K 3000K	2M1.001.C1L 2M1.001.C1R
10W	4000K 3000K	2M1.001.D1L 2M1.001.D1R





Master box: **18pcs**

Master box: **18pcs**



TOMMY-EL		
3W	4000K 3000K	2M2.000.G1L 2M2.000.G1R
7W	4000K 3000K	2M2.000.C1L 2M2.000.C1R
10W	4000K 3000K	2M2.000.D1L 2M2.000.D1R

TOMMY-EL SPIKE		
3W	4000K 3000K	2M2.001.G1L 2M2.001.G1R
7W	4000K 3000K	2M2.001.C1L 2M2.001.C1R
10W	4000K 3000K	2M2.001.D1L 2M2.001.D1R



Master box: **18pcs**

Master box: **18pcs**

TOMMY 2L

FLOODLIGHT




MADE IN ITALY



4M1.001



TOMMY-2L LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
2x GXS3	2x3W 6W	700Lm	100-240V 50/60 Hz	4000K 3000K	75W INCANDESCENT
2x GXS3	2x7W 14W	1600Lm	100-240V 50/60 Hz	4000K 3000K	100W INCANDESCENT
2x GXS3	2x10W 20W	2400Lm	100-240V 50/60 Hz	4000K 3000K	150W INCANDESCENT




AVAILABLE COLORS			
RESIN BODY (MOULDED COLOURS)			DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)	FROSTED (X) BLUE (U) GREEN (N) ORANGE (R)




LED
GXS3
LAMP
INCLUDED

TOMMY-SQ 2L			
2x	4000K	6M1.000.G2L	
3W	3000K	6M1.000.G2R	
2x	4000K	6M1.000.C2L	
7W	3000K	6M1.000.C2R	
2x	4000K	6M1.000.D2L	
10W	3000K	6M1.000.D2R	

TOMMY-SQ 2L SPIKE			
2x	4000K	6M1.001.G2L	
3W	3000K	6M1.001.G2R	
2x	4000K	6M1.001.C2L	
7W	3000K	6M1.001.C2R	
2x	4000K	6M1.001.D2L	
10W	3000K	6M1.001.D2R	



Master box: **8pcs**




Master box: **8pcs**




LED
GXS3
LAMP
INCLUDED

TOMMY 2L			
2x	4000K	4M1.000.G2L	
3W	3000K	4M1.000.G2R	
2x	4000K	4M1.000.C2L	
7W	3000K	4M1.000.C2R	
2x	4000K	4M1.000.D2L	
10W	3000K	4M1.000.D2R	

TOMMY 2L SPIKE			
2x	4000K	4M1.001.G2L	
3W	3000K	4M1.001.G2R	
2x	4000K	4M1.001.C2L	
7W	3000K	4M1.001.C2R	
2x	4000K	4M1.001.D2L	
10W	3000K	4M1.001.D2R	



Master box: **8pcs**




Master box: **8pcs**




LED
GXS3
LAMP
INCLUDED

TOMMY-EL 2L			
2x	4000K	4M2.000.G2L	
3W	3000K	4M2.000.G2R	
2x	4000K	4M2.000.C2L	
7W	3000K	4M2.000.C2R	
2x	4000K	4M2.000.D2L	
10W	3000K	4M2.000.D2R	

TOMMY-EL 2L SPIKE			
2x	4000K	4M2.001.G2L	
3W	3000K	4M2.001.G2R	
2x	4000K	4M2.001.C2L	
7W	3000K	4M2.001.C2R	
2x	4000K	4M2.001.D2L	
10W	3000K	4M2.001.D2R	



Master box: **8pcs**



Master box: **8pcs**

GERMANA FLOODLIGHT



MADE IN
ITALY



2N1.000



SUPPLIED FULLY PRE-WIRED

2x GX53 LED



E27



E27 + SENSOR



WITH SENSOR)))
220-240V
(.P57)

GERMANA LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
2x GXS3	2x3W 6W	700Lm	100-240V 50/60 Hz	4000K 3000K	⊕ 75W INCANDESCENT
2x GXS3	2x7W 14W	1600Lm	100-240V 50/60 Hz	4000K 3000K	⊕ 100W INCANDESCENT
2x GXS3	2x10W 20W	2400Lm	100-240V 50/60 Hz	4000K 3000K	⊕ 150W INCANDESCENT



AVAILABLE COLORS			
RESIN BODY (MOULDED COLOURS)			DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)	OPAL (Y)

GERMANA



E27 2N1.000.P27


2x3W	4000K	2N1.000.G2L
6W	3000K	2N1.000.G2R
2x7W	4000K	2N1.000.C2L
14W	3000K	2N1.000.C2R
2x10W	4000K	2N1.000.D2L
20W	3000K	2N1.000.D2R

LED
2x GXS3 LAMPS INCLUDED



Master box: 18pcs


GIOVA/GERMANA



E27 2N1.702.P27

2x3W	4000K	2N1.702.G2L
6W	3000K	2N1.702.G2R
2x7W	4000K	2N1.702.C2L
14W	3000K	2N1.702.C2R
2x10W	4000K	2N1.702.D2L
20W	3000K	2N1.702.D2R

LED
2x GXS3 LAMPS INCLUDED



Master box: 18pcs

4 NEWS
20 UP & DOWN
26 FLOODLIGHT
36 IN-GROUND
40 BRICKLIGHT
46 BULKHEAD
64 BOLLARD
72 POST
76 LAMPS

MADE IN ITALY



4P2.000

SUPPLIED FULLY PRE-WIRED

GX53 LED



GX53 LED + SENSOR



WITH SENSOR))) (220-240V)
7W 4000K (.ASL)
7W 3000K (.ASR)
11W 4000K (.BSL)
11W 3000K (.BSR)
18W 4000K (.ESL)
18W 3000K (.ESR)

4x GX53 LED



2x E27











2x E27 + SENSOR







WITH SENSOR)))
220-240V
(.ES8)

GIUSEPPE LED VERSIONS

LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	CLOUR TEMPERATURE	
 GX53 LED	NEW 7W	600Lm	100-240V 50/60 Hz	4000K 3000K	 60W INCANDESCENT
	11W	1300Lm	100-240V 50/60 Hz	4000K 3000K	 100W INCANDESCENT
	18W	2000Lm	100-240V 50/60 Hz	4000K 3000K	 150W INCANDESCENT
 4x GX53 LED	4x7W 28W	3200Lm	100-240V 50/60 Hz	4000K 3000K	 70W HQL-SON
	4x10W 40W	4800Lm	100-240V 50/60 Hz	4000K 3000K	 100W HQL-SON



AVAILABLE COLORS


RESIN BODY (MOULDED COLOURS)			DIFFUSER
 BLACK (A)	 GREY (L)	 WHITE (W)	 OPAL (Y)

GIUSEPPE



LED
GX53
LAMPS
INCLUDED

2x E27		4P2.000.E28	
7W	4000K 3000K	4P1.000.A1L 4P1.000.A1R	NEW
11W	4000K 3000K	4P1.000.B1L 4P1.000.B1R	
18W	4000K 3000K	4P1.000.E1L 4P1.000.E1R	
4x7W 28W	4000K 3000K	4P2.000.C4L 4P2.000.C4R	
4x10W 40W	4000K 3000K	4P2.000.D4L 4P2.000.D4R	




GIOVA/GIUSEPPE



LED
GX53
LAMPS
INCLUDED

2x E27		4P2.702.E28	
7W	4000K 3000K	4P1.702.A1L 4P1.702.A1R	NEW
11W	4000K 3000K	4P1.702.B1L 4P1.702.B1R	
18W	4000K 3000K	4P1.702.E1L 4P1.702.E1R	
4x7W 28W	4000K 3000K	4P2.702.C4L 4P2.702.C4R	
4x10W 40W	4000K 3000K	4P2.702.D4L 4P2.702.D4R	





CECI
IN-GROUND

fumagalli
since 1973

MADE IN
ITALY



CECI 90 LED VERSIONS

LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
	3,5W	400Lm	100-240V 50/60 Hz	4000K 3000K	=  50W HALOGEN



AVAILABLE COLORS

COVER

(MOULDED COLOURS)

BLACK (A)

GREY (L)

DIFFUSER

FROSTED (X) BLUE (U)

GREEN (N)


ORANGE (R)

CECI 90



LED
GU10 LAMP INCLUDED

3,5W 4000K 1F1.000.U1L
3000K 1F1.000.U1R




Master box: **40pcs**

CECI 90-2L



LED
GU10 LAMP INCLUDED

3,5W 4000K 1F2.000.U1L
3000K 1F2.000.U1R




Master box: **40pcs**

CECI 90-3L



LED
GU10 LAMP INCLUDED

3,5W 4000K 1F3.000.U1L
3000K 1F3.000.U1R




Master box: **40pcs**

CECI 90-SQ



LED
GU10 LAMP INCLUDED





3,5W 4000K 1F4.000.U1L
3000K 1F4.000.U1R





Master box: **40pcs**

AVAILABLE COLORS


COVER (MOULDED COLOURS)	DIFFUSER
<p>BLACK (A)</p> 	<p>PROSTED (X)</p> 
<p>GREY (L)</p> 	<p>BLUE (U) GREEN (N) ORANGE (R)</p> 

CECI 120 LED VERSIONS


LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
	3W	350Lm	100-240V 50/60 Hz	4000K 3000K	 40W INCANDESCENT

CECI 120





LED
GX53 LAMP INCLUDED


3W 4000K 2F1.000.G1L
3000K 2F1.000.G1R



Master box: **36pcs**





CECI 120-2L





LED
GX53 LAMP INCLUDED


3W 4000K 2F2.000.G1L
3000K 2F2.000.G1R



Master box: **36pcs**





CECI 120-3L





LED
GX53 LAMP INCLUDED


3W 4000K 2F3.000.G1L
3000K 2F3.000.G1R



Master box: **36pcs**





CECI 120-SQ





LED
GX53 LAMP INCLUDED

3W 4000K 2F4.000.G1L
3000K 2F4.000.G1R



Master box: **36pcs**



CECI 160 LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
GX53	7W	800Lm	100-240V 50/60 Hz	4000K	= 75W INCANDESCENT
				3000K	
GX53	10W	1200Lm	100-240V 50/60 Hz	4000K	= 100W INCANDESCENT
				3000K	

CECI 160

LED
GX53
LAMP
INCLUDED

7W	4000K	3F1.000.C1L
	3000K	3F1.000.C1R
10W	4000K	3F1.000.D1L
	3000K	3F1.000.D1R

Master box: **18pcs**

CECI 160-2L

LED
GX53
LAMP
INCLUDED

7W	4000K	3F2.000.C1L
	3000K	3F2.000.C1R
10W	4000K	3F2.000.D1L
	3000K	3F2.000.D1R

Master box: **18pcs**

CECI 160-3L

LED
GX53
LAMP
INCLUDED

7W	4000K	3F3.000.C1L
	3000K	3F3.000.C1R
10W	4000K	3F3.000.D1L
	3000K	3F3.000.D1R

Master box: **18pcs**

CECI 160-SQ

LED
GX53
LAMP
INCLUDED

7W	4000K	3F4.000.C1L
	3000K	3F4.000.C1R
10W	4000K	3F4.000.D1L
	3000K	3F4.000.D1R

Master box: **18pcs**

LETI RANGE

BRICKLIGHT



MADE IN ITALY



2C1.000



LETI/EXTRALETI 100 LED VERSIONS				
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE
	3W	350Lm	100-240V 50/60 Hz	4000K
				3000K
				40W INCANDESCENT



AVAILABLE COLORS			
COVER (MOULDED COLOURS)			DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)	OPAL (Y)

LETI 100 ROUND

LED 3W GX53 LAMP INCLUDED	4000K	2C1.000.G1L
3000K	2C1.000.G1R	

Master box: **48pcs**

EXTRALETI 100 ROUND

LED 3W GX53 LAMP INCLUDED	4000K	2S1.000.G1L
3000K	2S1.000.G1R	

Master box: **48pcs**

LETI 100 ROUND-GR

LED 3W GX53 LAMP INCLUDED	4000K	2C2.000.G1L
3000K	2C2.000.G1R	

Master box: **48pcs**

EXTRALETI 100 ROUND-GR

LED 3W GX53 LAMP INCLUDED	4000K	2S2.000.G1L
3000K	2S2.000.G1R	

Master box: **48pcs**

LETI 100 ROUND-EL

LED 3W GX53 LAMP INCLUDED	4000K	2C3.000.G1L
3000K	2C3.000.G1R	

Master box: **48pcs**

EXTRALETI 100 ROUND-EL

LED 3W GX53 LAMP INCLUDED	4000K	2S3.000.G1L
3000K	2S3.000.G1R	

Master box: **48pcs**

LETI 100 ROUND-ST

LED 3W GX53 LAMP INCLUDED	4000K	2C4.000.G1L
3000K	2C4.000.G1R	



Master box: **48pcs**

EXTRALETI 100 ROUND-ST

LED 3W GX53 LAMP INCLUDED	4000K	2S4.000.G1L
3000K	2S4.000.G1R	

Master box: **48pcs**

NEWS
UP&DOWN
20
26
36
40
46
64
64
72
76
LAMP

LETI/EXTRALETI 100 LED VERSIONS				
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE
	3W	350Lm	100-240V 50/60 Hz	4000K 3000K
				 40W INCANDESCENT



AVAILABLE COLORS			
COVER (MOULDED COLOURS)			DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)	OPAL (Y)
			

LETI 100 SQUARE



LED 3W GX53 LAMP INCLUDED	4000K 3C1.000.G1L 3000K 3C1.000.G1R
--	---




Master box: **48pcs**

EXTRALETI 100 SQUARE



LED 3W GX53 LAMP INCLUDED	4000K 3S1.000.G1L 3000K 3S1.000.G1R
--	---

Master box: **48pcs**

LETI 100 SQUARE-GR



LED 3W GX53 LAMP INCLUDED	4000K 3C2.000.G1L 3000K 3C2.000.G1R
--	---

Master box: **48pcs**

EXTRALETI 100 SQUARE-GR

LED 3W GX53 LAMP INCLUDED	4000K 3S2.000.G1L 3000K 3S2.000.G1R
--	---

Master box: **48pcs**

LETI 100 SQUARE-EL

LED 3W GX53 LAMP INCLUDED	4000K 3C3.000.G1L 3000K 3C3.000.G1R
--	---




Master box: **48pcs**

EXTRALETI 100 SQUARE-EL

LED 3W GX53 LAMP INCLUDED	4000K 3S3.000.G1L 3000K 3S3.000.G1R
--	---




Master box: **48pcs**

LETI 100 SQUARE-ST



LED 3W GX53 LAMP INCLUDED	4000K 3C4.000.G1L 3000K 3C4.000.G1R
--	---




Master box: **48pcs**

EXTRALETI 100 SQUARE-ST

LED 3W GX53 LAMP INCLUDED	4000K 3S4.000.G1L 3000K 3S4.000.G1R
--	---

Master box: **48pcs**



LETI/EXTRALETI 200 LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
	3W	350Lm	100-240V 50/60 Hz	4000K	= 40W INCANDESCENT
				3000K	



AVAILABLE COLORS			
COVER (MOULDED COLOURS)			DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)	OPAL (Y)

LETI 200


LED 3W GX53 LAMP INCLUDED	4000K	4C1.000.G1L
3000K	4C1.000.G1R	

Master box: **36pcs**

EXTRALETI 200



LED 3W GX53 LAMP INCLUDED	4000K	4S1.000.G1L
3000K	4S1.000.G1R	




Master box: **36pcs**

LETI 200-GL



LED 3W GX53 LAMP INCLUDED	4000K	4C2.000.G1L
3000K	4C2.000.G1R	

Master box: **36pcs**

EXTRALETI 200-GL



LED 3W GX53 LAMP INCLUDED	4000K	4S2.000.G1L
3000K	4S2.000.G1R	

Master box: **36pcs**

LETI 200-RS



LED 3W GX53 LAMP INCLUDED	4000K	4C3.000.G1L
3000K	4C3.000.G1R	

Master box: **36pcs**

EXTRALETI 200-RS



LED 3W GX53 LAMP INCLUDED	4000K	4S3.000.G1L
3000K	4S3.000.G1R	

Master box: **36pcs**

LETI 200-HS



LED 3W GX53 LAMP INCLUDED	4000K	4C4.000.G1L
3000K	4C4.000.G1R	

Master box: **36pcs**

EXTRALETI 200-HS

LED 3W GX53 LAMP INCLUDED	4000K	4S4.000.G1L
3000K	4S4.000.G1R	

Master box: **36pcs**

LETI 200-VP



LED 3W GX53 LAMP INCLUDED	4000K	4C5.000.G1L
3000K	4C5.000.G1R	




Master box: **36pcs**

EXTRALETI 200-VP

LED 3W GX53 LAMP INCLUDED	4000K	4S5.000.G1L
3000K	4S5.000.G1R	

Master box: **36pcs**

LETI 300/EXTRALETI 300

BRICKLIGHT

fumagalli
since 1973

MADE IN
ITALY



5C5.000

GX53 LED



E27



LETI/EXTRALETI 300 LED VERSIONS				
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE
 2x GX53 LED	2x 3W 6W	700Lm	100-240V 50/60 Hz	4000K
				3000K
				75W INCANDESCENT



AVAILABLE COLORS			
COVER (MOULDED COLOURS)			DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)	OPAL (Y)

LETI 300

LED 2x3W GX53 LAMPS INCLUDED	4000K 3000K	5C1.000.G2L 5C1.000.G2R
E27 5C1.000.E27		

Master box: **24pcs**

EXTRALETI 300

LED 2x3W GX53 LAMPS INCLUDED	4000K 3000K	5S1.000.G2L 5S1.000.G2R
E27 5S1.000.E27		

Master box: **20pcs**

LETI 300-GL

LED 2x3W GX53 LAMPS INCLUDED	4000K 3000K	5C2.000.G2L 5C2.000.G2R
E27 5C2.000.E27		

Master box: **24pcs**

EXTRALETI 300-GL

LED 2x3W GX53 LAMPS INCLUDED	4000K 3000K	5S2.000.G2L 5S2.000.G2R
E27 5S2.000.E27		

Master box: **20pcs**

LETI 300-RS

LED 2x3W GX53 LAMPS INCLUDED	4000K 3000K	5C3.000.G2L 5C3.000.G2R
E27 5C3.000.E27		

Master box: **24pcs**

EXTRALETI 300-RS

LED 2x3W GX53 LAMPS INCLUDED	4000K 3000K	5S3.000.G2L 5S3.000.G2R
E27 5S3.000.E27		

Master box: **20pcs**

LETI 300-HS

LED 2x3W GX53 LAMPS INCLUDED	4000K 3000K	5C4.000.G2L 5C4.000.G2R
E27 5C4.000.E27		

Master box: **24pcs**

EXTRALETI 300-HS

LED 2x3W GX53 LAMPS INCLUDED	4000K 3000K	5S4.000.G2L 5S4.000.G2R
E27 5S4.000.E27		

Master box: **12pcs**

LETI 300-VP

LED 2x3W GX53 LAMPS INCLUDED	4000K 3000K	5C5.000.G2L 5C5.000.G2R
E27 5C5.000.E27		

Master box: **24pcs**

EXTRALETI 300-VP

LED 2x3W GX53 LAMPS INCLUDED	4000K 3000K	5S5.000.G2L 5S5.000.G2R
E27 5S5.000.E27		

Master box: **12pcs**

BERTINA

BULKHEAD



BERTINA



BERTA



LIMBERTA









MADE IN ITALY



1B1.000

**NO SCREWS
AT SIGHT**

BERTINA LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
	3W	350Lm	100-240V 50/60 Hz	4000K 3000K	 40W INCANDESCENT
	7W	800Lm	100-240V 50/60 Hz	4000K 3000K	 75W INCANDESCENT
	10W	1200Lm	100-240V 50/60 Hz	4000K 3000K	 100W INCANDESCENT



AVAILABLE COLORS			
RESIN BODY (MOULDED COLOURS)			DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)	OPAL (Y)



BERTINA

	4000K	3000K	
3W			1B1.000.G1L
			1B1.000.G1R
7W			1B1.000.C1L
			1B1.000.C1R
10W			1B1.000.D1L
			1B1.000.D1R



*Master box: **45pcs***

AVAILABLE VERSIONS SUPPLIED FULLY PRE-WIRED

GX53 LED





3W



7W



10W



NEWS 4
UP & DOWN 20
FLOODLIGHT 26
IN-GROUND 36
BRICKLIGHT 40
BULKHEAD 46
BOLLARD 64
POST 72
LAMPS 76

BERTA
BULKHEAD



BERTINA



BERTA



LIBBERTA







MADE IN ITALY





1B2.000



**NO SCREWS
AT SIGHT**


BERTA LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
 GX53 LED	NEW 7W	600Lm	100-240V 50/60 Hz	4000K 3000K	 60W INCANDESCENT
	11W	1300Lm	100-240V 50/60 Hz	4000K 3000K	 100W INCANDESCENT
	18W	2000Lm	100-240V 50/60 Hz	4000K 3000K	 150W INCANDESCENT





BERTA			
E27		1B2.000.P27	
E27 WITH SENSOR		1B2.000.PS7	
7W LED	4000K 3000K	1B2.000.A1L 1B2.000.A1R	NEW
11W LED	4000K 3000K	1B2.000.B1L 1B2.000.B1R	
18W LED	4000K 3000K	1B2.000.E1L 1B2.000.E1R	

LED GX53 LAMP INCLUDED



Master box: **16pcs**

AVAILABLE VERSIONS SUPPLIED FULLY PRE-WIRED

E27



E27 +SENSOR



GX53 LED



UMBERTA

BULKHEAD



BERTINA



BERTA



UMBERTA







MADE IN ITALY



1B3.000




**NO SCREWS
AT SIGHT**

UMBERTA LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
 NEW	7W	600Lm	100-240V 50/60 Hz	4000K 3000K	 60W INCANDESCENT
	11W	1300Lm	100-240V 50/60 Hz	4000K 3000K	 100W INCANDESCENT
	18W	2000Lm	100-240V 50/60 Hz	4000K 3000K	 150W INCANDESCENT




AVAILABLE COLORS			DIFFUSER
RESIN BODY (MOULDED COLOURS)			
BLACK (A)	GREY (L)	WHITE (W)	OPAL (Y)
			



UMBERTA

E27		1B3.000.E27
2x E27		1B3.000.E28
7W LED	4000K	1B3.000.A1L
LED	3000K	1B3.000.A1R NEW
11W LED	4000K	1B3.000.B1L
LED	3000K	1B3.000.B1R
18W LED	4000K	1B3.000.E1L
LED	3000K	1B3.000.E1R

LED
GX53 LAMP
INCLUDED





Master box: **12pcs**

AVAILABLE VERSIONS SUPPLIED FULLY PRE-WIRED

E27	2x E27
	
GX53 LED	
	

NEWS
UP&DOWN
20
26
FLOODLIGHT
36
IN-GROUND
40
BRICKLIGHT
46
BULKHEAD
64
BOLLARD
72
POST
76
LAMPS

EMERGENCY




UMBERTA EMERGENCY - LED VERSIONS					
EMERGENCY KIT	MODE	POWER	LUMINOUS FLUX	VOLTAGE RANGE	CLOUR TEMPERATURE
	NORMAL	15W	2000Lm	220-240V 50/60 Hz	4000K
	EMERGENCY (min 3 hours)	2,4W	250Lm	220-240V 50/60 Hz	4000K

UMBERTA LED MAINTAINED EMERGENCY

LED 4000K 1B3.000.EM1

PRODUCT TYPE	Wall and Ceiling bulkhead with Emergency kit
OPERATING VOLTAGE	220~240 vAC
LUMINOUS FLUX & POWER	2000 lumen (Normal mode), 15W 250 lumen (Emergency mode), 2.4W
LED TYPE	Edison SMD 2835, 4000 K
CRI	>80Ra
PF (POWER FACTOR)	>0.95
BEAM ANGLE	120°
OPERATING TEMPERATURE	0~50°C
BATTERY	Ni-MH, BK370Ah3.6V, Panasonic (3.5Ah, 3.6V)
BATTERY OPERATING TIME	min 3 hours (250 lumen)
BATTERY CHARGING TIME	24 hours
Drivers Standards	EN 61347-1, EN 61347-2-7, EN 61347-2-13, EN 62384, EN 60598-2-22 EN 55015, EN61547, EN 61000-3-2, EN 61000-3-3
Battery Standards	EN 5501-1, EN 61000, EN 55014-2



Provided with built-in test button to check battery status.





HOW IT WORKS

In case of blackout, the emergency kit turns on. The Bulkhead switches from Normal mode to Emergency mode and keeps on working.



Green Led: identifies the emergency light and shows that the system is operating correctly.




BERTA LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
	NEW 7W	600lm	100-240V 50/60 Hz	4000K 3000K	60W INCANDESCENT
	11W	1300lm	100-240V 50/60 Hz	4000K 3000K	100W INCANDESCENT
	18W	2000lm	100-240V 50/60 Hz	4000K 3000K	150W INCANDESCENT

UMBERTA MOTION & DAYLIGHT SENSOR

E27 WITH SENSOR »)				1B3.000.ES7
2x E27 WITH SENSOR »)				1B3.000.ES8
7W LED GX53 WITH SENSOR »)	4000K 3000K			1B3.000.ASL 1B3.000.ASR
11W LED GX53 WITH SENSOR »)	4000K 3000K			1B3.000.BSL 1B3.000.BSR
18W LED GX53 WITH SENSOR »)	4000K 3000K			1B3.000.ESL 1B3.000.ESR

Product Type	Wall and Ceiling bulkhead with Motion&Daylight sensor
Sensor operating voltage	220-240 vAC (120v version available on demand)
Version	GX53 LED, E27, 2xE27
Sensor Operating Temperature	-10° +60°C
Detection angle	30° - 150°
Fields of detection	1 - up to 5 mt (adjustable)



MADE IN ITALY



1G3.000



SUPPLIED FULLY PRE-WIRED





GX53 LED

E27

E27 + SENSOR




WITH SENSOR)))
220-240V
(.ES7)


LED BULKHEAD GX53					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
	NEW 7W	600Lm	100-240V 50/60 Hz	4000K 3000K	 60W INCANDESCENT
	11W	1300Lm	100-240V 50/60 Hz	4000K 3000K	 100W INCANDESCENT
	18W	2000Lm	100-240V 50/60 Hz	4000K 3000K	 150W INCANDESCENT



AVAILABLE COLORS			DIFFUSER
RESIN BODY (MOULDED COLOURS)			
BLACK (A)	GREY (L)	WHITE (W)	OPAL (Y)
			

GELMI







Master box: **16pcs**

E27		1G3.000.E27	
GX53 LED 7W	4000K	1G3.000.A1L	NEW
	3000K	1G3.000.A1R	
GX53 LED 11W	4000K	1G3.000.B1L	
	3000K	1G3.000.B1R	
GX53 LED 18W	4000K	1G3.000.E1L	
	3000K	1G3.000.E1R	

GELMI-EL







Master box: **16pcs**

E27		2G3.000.E27	
GX53 LED 7W	4000K	2G3.000.A1L	NEW
	3000K	2G3.000.A1R	
GX53 LED 11W	4000K	2G3.000.B1L	
	3000K	2G3.000.B1R	
GX53 LED 18W	4000K	2G3.000.E1L	
	3000K	2G3.000.E1R	

GELMI-GR





Master box: **16pcs**

E27		3G3.000.E27	
GX53 LED 7W	4000K	3G3.000.A1L	NEW
	3000K	3G3.000.A1R	
GX53 LED 11W	4000K	3G3.000.B1L	
	3000K	3G3.000.B1R	
GX53 LED 18W	4000K	3G3.000.E1L	
	3000K	3G3.000.E1R	



1D3.000

SUPPLIED FULLY PRE-WIRED





GX53 LED


E27

E27 + SENSOR





WITH SENSOR))
220-240V
(.E57)

LED BULKHEAD GX53					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
	NEW 7W	600Lm	100-240V 50/60 Hz	4000K 3000K	 60W INCANDESCENT
	11W	1300Lm	100-240V 50/60 Hz	4000K 3000K	 100W INCANDESCENT
	18W	2000Lm	100-240V 50/60 Hz	4000K 3000K	 150W INCANDESCENT



AVAILABLE COLORS			DIFFUSER
RESIN BODY (MOULDED COLOURS)			
BLACK (A)	GREY (L)	WHITE (W)	OPAL (Y)
			



DANZI

E27		1D3.000.E27
GX53 LED 7W	4000K	1D3.000.A1L
	3000K	1D3.000.A1R
GX53 LED 11W	4000K	1D3.000.B1L
	3000K	1D3.000.B1R
GX53 LED 18W	4000K	1D3.000.E1L
	3000K	1D3.000.E1R

Master box: 16pcs



DANZI-VE

E27		2D3.000.E27
GX53 LED 7W	4000K	2D3.000.A1L
	3000K	2D3.000.A1R
GX53 LED 11W	4000K	2D3.000.B1L
	3000K	2D3.000.B1R
GX53 LED 18W	4000K	2D3.000.E1L
	3000K	2D3.000.E1R

Master box: 16pcs

DANZI-GR

E27		3D3.000.E27
GX53 LED 7W	4000K	3D3.000.A1L
	3000K	3D3.000.A1R
GX53 LED 11W	4000K	3D3.000.B1L
	3000K	3D3.000.B1R
GX53 LED 18W	4000K	3D3.000.E1L
	3000K	3D3.000.E1R

Master box: 16pcs

MADE IN ITALY



1U3.000



SUPPLIED FULLY PRE-WIRED

GX53 LED

E27

E27 + SENSOR








WITH SENSOR)))
220-240V
(.ES7)

BACKLIT COLOURS AVAILABLE

*To order the backlit version of our bulkhead, the following suffixes have to be added at the end of the code.





LED BULKHEAD GX53					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
	NEW 7W	600Lm	100-240V 50/60 Hz	4000K 3000K	 60W INCANDESCENT
	11W	1300Lm	100-240V 50/60 Hz	4000K 3000K	 100W INCANDESCENT
	18W	2000Lm	100-240V 50/60 Hz	4000K 3000K	 150W INCANDESCENT



AVAILABLE COLORS	
RESIN BODY (MOULDED COLOURS)	DIFFUSER
BLACK (A) GREY (L) WHITE (W)	OPAL (Y)
  	

STUCCHI






E27		1U3.000.E27
GX53 LED 7W	4000K	1U3.000.A1L NEW
GX53 LED 11W	3000K	1U3.000.A1R
GX53 LED 11W	4000K	1U3.000.B1L
GX53 LED 11W	3000K	1U3.000.B1R
GX53 LED 18W	4000K	1U3.000.E1L
GX53 LED 18W	3000K	1U3.000.E1R

BACKLIT COLOURS VERSION


*To order the backlit version of our bulkhead, the following suffixes have to be added at the end of the code.


CLEAR	PINK	BLUE	GREEN	ORANGE
.CL1	.PK1	.BU1	.GN1	.OR1



Master box: 16pcs

CECCHI






E27		1H3.000.E27
GX53 LED 7W	4000K	1H3.000.A1L NEW
GX53 LED 7W	3000K	1H3.000.A1R
GX53 LED 11W	4000K	1H3.000.B1L
GX53 LED 11W	3000K	1H3.000.B1R
GX53 LED 18W	4000K	1H3.000.E1L
GX53 LED 18W	3000K	1H3.000.E1R

BACKLIT COLOURS VERSION


*To order the backlit version of our bulkhead, the following suffixes have to be added at the end of the code.


CLEAR	PINK	BLUE	GREEN	ORANGE
.CL1	.PK1	.BU1	.GN1	.OR1



Master box: 16pcs

RITA






E27		1T3.000.E27
GX53 LED 7W	4000K	1T3.000.A1L NEW
GX53 LED 7W	3000K	1T3.000.A1R
GX53 LED 11W	4000K	1T3.000.B1L
GX53 LED 11W	3000K	1T3.000.B1R
GX53 LED 18W	4000K	1T3.000.E1L
GX53 LED 18W	3000K	1T3.000.E1R

PAINTED COLOURS

*To order the painted colour version of RITA, the following suffixes have to be added at the end of the code.

MOULDED COLOURS		PAINTED COLOURS	
BLACK (A)	WHITE (W)	ANTIQUE GREEN (V)	ANTIQUE BRONZE (B)



Master box: 12pcs



1R3.000

BACKLIT COLOURS AVAILABLE

*To order the backlit version of our bulkhead, the following suffixes have to be added at the end of the code.



SUPPLIED FULLY PRE-WIRED



BRACKET VERSION AVAILABLE



LED BULKHEAD GX53					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
	NEW 7W	600Lm	100-240V 50/60 Hz	4000K 3000K	60W INCANDESCENT
	11W	1300Lm	100-240V 50/60 Hz	4000K 3000K	100W INCANDESCENT
	18W	2000Lm	100-240V 50/60 Hz	4000K 3000K	150W INCANDESCENT



AVAILABLE COLORS		
RESIN BODY (MOULDED COLOURS)		DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)
		OPAL (Y)



LED
GX53
LAMP
INCLUDED

LUCIA		
E27	1R3.000.E27	
GX53	4000K 1R3.000.A1L	NEW
LED 7W	3000K 1R3.000.A1R	
GX53	4000K 1R3.000.B1L	NEW
LED 11W	3000K 1R3.000.B1R	
GX53	4000K 1R3.000.E1L	NEW
LED 18W	3000K 1R3.000.E1R	
		Master box: 16pcs


REMI/LUCIA		
E27	1R3.602.E27	
GX53	4000K 1R3.602.A1L	NEW
LED 7W	3000K 1R3.602.A1R	
GX53	4000K 1R3.602.B1L	NEW
LED 11W	3000K 1R3.602.B1R	
GX53	4000K 1R3.602.E1L	NEW
LED 18W	3000K 1R3.602.E1R	
		Master box: 16pcs



LED
GX53
LAMP
INCLUDED

LUCIA-EL		
E27	2R3.000.E27	
GX53	4000K 2R3.000.A1L	NEW
LED 7W	3000K 2R3.000.A1R	
GX53	4000K 2R3.000.B1L	NEW
LED 11W	3000K 2R3.000.B1R	
GX53	4000K 2R3.000.E1L	NEW
LED 18W	3000K 2R3.000.E1R	
		Master box: 16pcs

REMI/LUCIA-EL		
E27	2R3.602.E27	
GX53	4000K 2R3.602.A1L	NEW
LED 7W	3000K 2R3.602.A1R	
GX53	4000K 2R3.602.B1L	NEW
LED 11W	3000K 2R3.602.B1R	
GX53	4000K 2R3.602.E1L	NEW
LED 18W	3000K 2R3.602.E1R	
		Master box: 16pcs



LED
GX53
LAMP
INCLUDED

LUCIA-GD		
E27	3R3.000.E27	
GX53	4000K 3R3.000.A1L	NEW
LED 7W	3000K 3R3.000.A1R	
GX53	4000K 3R3.000.B1L	NEW
LED 11W	3000K 3R3.000.B1R	
GX53	4000K 3R3.000.E1L	NEW
LED 18W	3000K 3R3.000.E1R	
		Master box: 16pcs

REMI/LUCIA-GD		
E27	3R3.602.E27	
GX53	4000K 3R3.602.A1L	NEW
LED 7W	3000K 3R3.602.A1R	
GX53	4000K 3R3.602.B1L	NEW
LED 11W	3000K 3R3.602.B1R	
GX53	4000K 3R3.602.E1L	NEW
LED 18W	3000K 3R3.602.E1R	
		Master box: 16pcs


NEWS
UP&DOWN
20
FLOODLIGHT
26
IN-GROUND
36
BRICKLIGHT
40
BULKHEAD
46
64
BOLLARD
72
POST
76
LAMPS



1V3.000

BACKLIT COLOURS AVAILABLE

*To order the backlit version of our bulkhead, the following suffixes have to be added at the end of the code.







SUPPLIED FULLY PRE-WIRED



BRACKET VERSION AVAILABLE





LED BULKHEAD GX53					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
	NEW 7W	600Lm	100-240V 50/60 Hz	4000K 3000K	 60W INCANDESCENT
	11W	1300Lm	100-240V 50/60 Hz	4000K 3000K	 100W INCANDESCENT
	18W	2000Lm	100-240V 50/60 Hz	4000K 3000K	 150W INCANDESCENT



AVAILABLE COLORS	
RESIN BODY (MOULDED COLOURS)	DIFFUSER
BLACK (A)  GREY (L)  WHITE (W) 	OPAL (Y) 





LED
GX53
LAMP
INCLUDED

MADDI		REMI/MADDI	
E27	1V3.000.E27	E27	1V3.602.E27
GX53	4000K 1V3.000.A1L	GX53	4000K 1V3.602.A1L
LED 7W	3000K 1V3.000.A1R	LED 7W	3000K 1V3.602.A1R
GX53	4000K 1V3.000.B1L	GX53	4000K 1V3.602.B1L
LED 11W	3000K 1V3.000.B1R	LED 11W	3000K 1V3.602.B1R
GX53	4000K 1V3.000.E1L	GX53	4000K 1V3.602.E1L
LED 18W	3000K 1V3.000.E1R	LED 18W	3000K 1V3.602.E1R
			
Master box: 16pcs		Master box: 16pcs	





LED
GX53
LAMP
INCLUDED

MADDI-VE		REMI/MADDI-VE	
E27	2V3.000.E27	E27	2V3.602.E27
GX53	4000K 2V3.000.A1L	GX53	4000K 2V3.602.A1L
LED 7W	3000K 2V3.000.A1R	LED 7W	3000K 2V3.602.A1R
GX53	4000K 2V3.000.B1L	GX53	4000K 2V3.602.B1L
LED 11W	3000K 2V3.000.B1R	LED 11W	3000K 2V3.602.B1R
GX53	4000K 2V3.000.E1L	GX53	4000K 2V3.602.E1L
LED 18W	3000K 2V3.000.E1R	LED 18W	3000K 2V3.602.E1R
			
Master box: 16pcs		Master box: 16pcs	



LED
GX53
LAMP
INCLUDED

MADDI-HL		REMI/MADDI-HL	
E27	3V3.000.E27	E27	3V3.602.E27
GX53	4000K 3V3.000.A1L	GX53	4000K 3V3.602.A1L
LED 7W	3000K 3V3.000.A1R	LED 7W	3000K 3V3.602.A1R
GX53	4000K 3V3.000.B1L	GX53	4000K 3V3.602.B1L
LED 11W	3000K 3V3.000.B1R	LED 11W	3000K 3V3.602.B1R
GX53	4000K 3V3.000.E1L	GX53	4000K 3V3.602.E1L
LED 18W	3000K 3V3.000.E1R	LED 18W	3000K 3V3.602.E1R
			
Master box: 16pcs		Master box: 16pcs	

GABRI-MINIGABRI REMI/LUCIA

BOLLARD






fumagalli[®]
since 1973


MADE IN
ITALY



1R3.613.X10


LED BULKHEAD 6X53


LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
	NEW 7W	600Lm	100-240V 50/60 Hz	4000K 3000K	 60W INCANDESCENT
	11W	1300Lm	100-240V 50/60 Hz	4000K 3000K	 100W INCANDESCENT
	18W	2000Lm	100-240V 50/60 Hz	4000K 3000K	 150W INCANDESCENT






AVAILABLE COLORS			DIFFUSER
RESIN BODY (MOULDED COLOURS)			
BLACK (A)	GREY (L)	WHITE (W)	OPAL (Y)
			


GABRI REMI/LUCIA 1L









					
E27		1R3.613.X10.E27	2R3.613.X10.E27	3R3.613.X10.E27	
GX53 LED 7W	4000K	1R3.613.X10.A1L	2R3.613.X10.A1L	3R3.613.X10.A1L	NEW
	3000K	1R3.613.X10.A1R	2R3.613.X10.A1R	3R3.613.X10.A1R	
GX53 LED 11W	4000K	1R3.613.X10.B1L	2R3.613.X10.B1L	3R3.613.X10.B1L	
	3000K	1R3.613.X10.B1R	2R3.613.X10.B1R	3R3.613.X10.B1R	
GX53 LED 18W	4000K	1R3.613.X10.E1L	2R3.613.X10.E1L	3R3.613.X10.E1L	
	3000K	1R3.613.X10.E1R	2R3.613.X10.E1R	3R3.613.X10.E1R	


GABRI REMI/LUCIA 2L









					
E27		1R3.613.X20.E27	2R3.613.X20.E27	3R3.613.X20.E27	
GX53 LED 7W	4000K	1R3.613.X20.A1L	2R3.613.X20.A1L	3R3.613.X20.A1L	NEW
	3000K	1R3.613.X20.A1R	2R3.613.X20.A1R	3R3.613.X20.A1R	
GX53 LED 11W	4000K	1R3.613.X20.B1L	2R3.613.X20.B1L	3R3.613.X20.B1L	
	3000K	1R3.613.X20.B1R	2R3.613.X20.B1R	3R3.613.X20.B1R	
GX53 LED 18W	4000K	1R3.613.X20.E1L	2R3.613.X20.E1L	3R3.613.X20.E1L	
	3000K	1R3.613.X20.E1R	2R3.613.X20.E1R	3R3.613.X20.E1R	


MINIGABRI REMI/LUCIA 1L









					
E27		1R3.612.X10.E27	2R3.612.X10.E27	3R3.612.X10.E27	
GX53 LED 7W	4000K	1R3.612.X10.A1L	2R3.612.X10.A1L	3R3.612.X10.A1L	NEW
	3000K	1R3.612.X10.A1R	2R3.612.X10.A1R	3R3.612.X10.A1R	
GX53 LED 11W	4000K	1R3.612.X10.B1L	2R3.612.X10.B1L	3R3.612.X10.B1L	
	3000K	1R3.612.X10.B1R	2R3.612.X10.B1R	3R3.612.X10.B1R	
GX53 LED 18W	4000K	1R3.612.X10.E1L	2R3.612.X10.E1L	3R3.612.X10.E1L	
	3000K	1R3.612.X10.E1R	2R3.612.X10.E1R	3R3.612.X10.E1R	

MINIGABRI REMI/LUCIA 2L





					
E27		1R3.612.X20.E27	2R3.612.X20.E27	3R3.612.X20.E27	
GX53 LED 7W	4000K	1R3.612.X20.A1L	2R3.612.X20.A1L	3R3.612.X20.A1L	NEW
	3000K	1R3.612.X20.A1R	2R3.612.X20.A1R	3R3.612.X20.A1R	
GX53 LED 11W	4000K	1R3.612.X20.B1L	2R3.612.X20.B1L	3R3.612.X20.B1L	
	3000K	1R3.612.X20.B1R	2R3.612.X20.B1R	3R3.612.X20.B1R	
GX53 LED 18W	4000K	1R3.612.X20.E1L	2R3.612.X20.E1L	3R3.612.X20.E1L	
	3000K	1R3.612.X20.E1R	2R3.612.X20.E1R	3R3.612.X20.E1R	

GABRI-MINIGABRI REMI/MADDI





BOLLARD




MADE IN ITALY




1V3.613.X10




LED BULKHEAD GX53					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
	NEW 7W	600Lm	100-240V 50/60 Hz	4000K 3000K	≡  60W INCANDESCENT
	11W	1300Lm	100-240V 50/60 Hz	4000K 3000K	≡  100W INCANDESCENT
	18W	2000Lm	100-240V 50/60 Hz	4000K 3000K	≡  150W INCANDESCENT




AVAILABLE COLORS			DIFFUSER
RESIN BODY (MOULDED COLOURS)			
BLACK (A)	GREY (L)	WHITE (W)	OPAL (Y)
			




GABRI REMI/MADDI 1L




				
E27	1V3.613.X10.E27	2V3.613.X10.E27	3V3.613.X10.E27	
GX53 LED 7W 3000K	1V3.613.X10.A1L 1V3.613.X10.A1R	2V3.613.X10.A1L 2V3.613.X10.A1R	3V3.613.X10.A1L 3V3.613.X10.A1R	NEW
GX53 LED 11W 3000K	1V3.613.X10.B1L 1V3.613.X10.B1R	2V3.613.X10.B1L 2V3.613.X10.B1R	3V3.613.X10.B1L 3V3.613.X10.B1R	
GX53 LED 18W 3000K	1V3.613.X10.E1L 1V3.613.X10.E1R	2V3.613.X10.E1L 2V3.613.X10.E1R	3V3.613.X10.E1L 3V3.613.X10.E1R	




GABRI REMI/MADDI 2L




				
E27	1V3.613.X20.E27	2V3.613.X20.E27	3V3.613.X20.E27	
GX53 LED 7W 3000K	1V3.613.X20.A1L 1V3.613.X20.A1R	2V3.613.X20.A1L 2V3.613.X20.A1R	3V3.613.X20.A1L 3V3.613.X20.A1R	NEW
GX53 LED 11W 3000K	1V3.613.X20.B1L 1V3.613.X20.B1R	2V3.613.X20.B1L 2V3.613.X20.B1R	3V3.613.X20.B1L 3V3.613.X20.B1R	
GX53 LED 18W 3000K	1V3.613.X20.E1L 1V3.613.X20.E1R	2V3.613.X20.E1L 2V3.613.X20.E1R	3V3.613.X20.E1L 3V3.613.X20.E1R	




MINIGABRI REMI/MADDI 1L



				
E27	1V3.612.X10.E27	2V3.612.X10.E27	3V3.612.X10.E27	
GX53 LED 7W 3000K	1V3.612.X10.A1L 1V3.612.X10.A1R	2V3.612.X10.A1L 2V3.612.X10.A1R	3V3.612.X10.A1L 3V3.612.X10.A1R	NEW
GX53 LED 11W 3000K	1V3.612.X10.B1L 1V3.612.X10.B1R	2V3.612.X10.B1L 2V3.612.X10.B1R	3V3.612.X10.B1L 3V3.612.X10.B1R	
GX53 LED 18W 3000K	1V3.612.X10.E1L 1V3.612.X10.E1R	2V3.612.X10.E1L 2V3.612.X10.E1R	3V3.612.X10.E1L 3V3.612.X10.E1R	

MINIGABRI REMI/MADDI 2L



				
E27	1V3.612.X20.E27	2V3.612.X20.E27	3V3.612.X20.E27	
GX53 LED 7W 3000K	1V3.612.X20.A1L 1V3.612.X20.A1R	2V3.612.X20.A1L 2V3.612.X20.A1R	3V3.612.X20.A1L 3V3.612.X20.A1R	NEW
GX53 LED 11W 3000K	1V3.612.X20.B1L 1V3.612.X20.B1R	2V3.612.X20.B1L 2V3.612.X20.B1R	3V3.612.X20.B1L 3V3.612.X20.B1R	
GX53 LED 18W 3000K	1V3.612.X20.E1L 1V3.612.X20.E1R	2V3.612.X20.E1L 2V3.612.X20.E1R	3V3.612.X20.E1L 3V3.612.X20.E1R	

PINELA-MINIPINELA







BOLLARD




MADE IN ITALY




2N1.613.010


GERMANA LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
2x  GXS3	2x3W	700Lm	100-240V 50/60 Hz	4000K	 75W INCANDESCENT
	6W			3000K	
2x  GXS3	2x7W	1600Lm	100-240V 50/60 Hz	4000K	 100W INCANDESCENT
	14W			3000K	
2x  GXS3	2x10W	2400Lm	100-240V 50/60 Hz	4000K	 150W INCANDESCENT
	20W			3000K	



AVAILABLE COLORS			
RESIN BODY (MOULDED COLOURS)			DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)	OPAL (V)


PINELA 1L






E27		2N1.613.010.P27
2x3W 6W	4000K	2N1.613.010.G2L
	3000K	2N1.613.010.G2R
2x7W 14W	4000K	2N1.613.010.C2L
	3000K	2N1.613.010.C2R
2x10W 20W	4000K	2N1.613.010.D2L
	3000K	2N1.613.010.D2R


PINELA 2L






E27		2N1.613.020.P27
2x 6W	4000K	2N1.613.020.G2L
	3000K	2N1.613.020.G2R
2x 14W	4000K	2N1.613.020.C2L
	3000K	2N1.613.020.C2R
2x 20W	4000K	2N1.613.020.D2L
	3000K	2N1.613.020.D2R


MINIPINELA 1L






E27		2N1.612.010.P27
2x3W 6W	4000K	2N1.612.010.G2L
	3000K	2N1.612.010.G2R
2x7W 14W	4000K	2N1.612.010.C2L
	3000K	2N1.612.010.C2R
2x10W 20W	4000K	2N1.612.010.D2L
	3000K	2N1.612.010.D2R

MINIPINELA 2L





E27		2N1.612.020.P27
2x 6W	4000K	2N1.612.020.G2L
	3000K	2N1.612.020.G2R
2x 14W	4000K	2N1.612.020.C2L
	3000K	2N1.612.020.C2R
2x 20W	4000K	2N1.612.020.D2L
	3000K	2N1.612.020.D2R

PINA

BOLLARD












MADE IN ITALY



DOUBLE INSULATION CLASS



4P2.613.010

GIUSEPPE LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
 NEW 7W	11W	600Lm	100-240V	4000K	 60W INCANDESCENT
			50/60 Hz	3000K	
			100-240V	4000K	
 18W	2000Lm	1300Lm	100-240V	4000K	 100W INCANDESCENT
			50/60 Hz	3000K	
			100-240V	4000K	
 4x7W 28W	3200Lm	2000Lm	100-240V	4000K	 150W INCANDESCENT
			50/60 Hz	3000K	
			100-240V	4000K	
 4x10W 40W	4800Lm	3200Lm	100-240V	4000K	 70W HQ2-SON
			50/60 Hz	3000K	
			100-240V	4000K	
			50/60 Hz	3000K	 100W HQ2-SON
			50/60 Hz	3000K	




AVAILABLE COLORS			
RESIN BODY (MOULDED COLOURS)			DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)	OPAL (Y)
			

PINA 1L



LED
GX53
LAMPS
INCLUDED

2x E27		4P2.613.010.E28	
7W	4000K	4P1.613.010.A1L	NEW
	3000K	4P1.613.010.A1R	
11W	4000K	4P1.613.010.B1L	
	3000K	4P1.613.010.B1R	
18W	4000K	4P1.613.010.E1L	
	3000K	4P1.613.010.E1R	
4x7W 28W	4000K	4P2.613.010.C4L	
	3000K	4P2.613.010.C4R	
4x10W 40W	4000K	4P2.613.010.D4L	
	3000K	4P2.613.010.D4R	




PINA 2L



LED
GX53
LAMPS
INCLUDED

2x E27		4P2.613.020.E28	
2x 7W	4000K	4P1.613.020.A1L	NEW
	3000K	4P1.613.020.A1R	
2x 11W	4000K	4P1.613.020.B1L	
	3000K	4P1.613.020.B1R	
2x 18W	4000K	4P1.613.020.E1L	
	3000K	4P1.613.020.E1R	
2x 28W	4000K	4P2.613.020.C4L	
	3000K	4P2.613.020.C4R	
2x 40W	4000K	4P2.613.020.D4L	
	3000K	4P2.613.020.D4R	



GIORGIO / ROSA

POST









MADE IN ITALY









AVAILABLE COLORS		
RESIN BODY (MOULDED COLOURS)		
BLACK (A)	GREY (L)	WHITE (W)
DIFFUSER		
OPAL (Y)		

AVAILABLE VERSIONS		
GX53 LED LED GX53	4x GX53 LED GX53	2x E27 CFL LED

GIORGIO LED VERSIONS

LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	CLOUR TEMPERATURE	
	11W	1300Lm	100-240V 50/60 Hz	4000K 3000K	 100W INCANDESCENT
	18W	2000Lm	100-240V 50/60 Hz	4000K 3000K	 150W INCANDESCENT
	4x7W 28W	3200Lm	100-240V 50/60 Hz	4000K 3000K	 70W Hqi-Son
	4x10W 40W	4800Lm	100-240V 50/60 Hz	4000K 3000K	 100W Hqi-Son

ROSA LED VERSIONS


LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	CLOUR TEMPERATURE	
	2x11W 22W	2600Lm	100-240V 50/60 Hz	4000K 3000K	 2x100W INCANDESCENT
	2x18W 36W	4000Lm	100-240V 50/60 Hz	4000K 3000K	 2x150W INCANDESCENT
	2x28W 56W	6400Lm	100-240V 50/60 Hz	4000K 3000K	 2x70W Hqi-Son
	2x40W 80W	9600Lm	100-240V 50/60 Hz	4000K 3000K	 2x100W Hqi-Son

EKTOR 2500 /GIORGIO

E27		4P2.361.G10.E28	LED GX53 LAMPS INCLUDED
11W	4000K	4P1.361.G10.B1L	
	3000K	4P1.361.G10.B1R	
18W	4000K	4P1.361.G10.E1L	
	3000K	4P1.361.G10.E1R	
4x7W 28W	4000K	4P2.361.G10.C4L	
	3000K	4P2.361.G10.C4R	
4x10W 40W	4000K	4P2.361.G10.D4L	
	3000K	4P2.361.G10.D4R	

EKTOR 2500 /ROSA

2x E27		4P2.361.G20.E28	LED GX53 LAMPS INCLUDED
2x 11W	4000K	4P1.361.G20.B1L	
	3000K	4P1.361.G20.B1R	
2x 18W	4000K	4P1.361.G20.E1L	
	3000K	4P1.361.G20.E1R	
2x 28W	4000K	4P2.361.G20.C4L	
	3000K	4P2.361.G20.C4R	
2x 40W	4000K	4P2.361.G20.D4L	
	3000K	4P2.361.G20.D4R	



BEPPE 400/VIVI 400

POST



MADE IN ITALY



NEW

NEW HIGH POWER LED

INDOOR & OUTDOOR USE

+80°C
-30°C

90% HUMIDITY





VOLTAGE SURGE RESISTANT



30W (3300 lm)
50W (5000 lm)



More details at page 82

BEPPE-VIVI 400 HIGH POWER LED					NEW
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
 HIGH POWER LED E27	30W	3300Lm	100-240V 50/60 Hz	4000K 3000K	=  50W HQI-SOI
 HIGH POWER LED E27	50W	5000Lm	100-240V 50/60 Hz	4000K 3000K	=  70W HQI-SOI



AVAILABLE COLORS					
RESIN BODY (MOULDED COLOURS)			DIFFUSER		
BLACK (A)	GREY (L)	WHITE (W)	CLEAR (X)	OPAL (Y)	
					

EKTOR 2500 / BEPPE400			
30W LED	4000K 3000K	P50.361.Q1L P50.361.Q1R	
50W LED	4000K 3000K	P50.361.H1L P50.361.H1R	

EKTOR 2500 MIDIPILAR / VIVI400 1L			
30W LED	4000K 3000K	V50.361.A10.Q1L V50.361.A10.Q1R	
50W LED	4000K 3000K	V50.361.A10.H1L V50.361.A10.H1R	

NEW HIGH POWER LED VERSION




480




3065




NEW HIGH POWER LED VERSION



745



2755





⚡ Power surges resistant

- **Wide voltage range (100-240V)** to protect the driver both from voltage droop and voltage overshoot, which are quite frequent in case of outdoor installations.
- **Double 400V capacitors** and multiple resistances to withstand power surges.
- **Silicone paste** to avoid – in case of voltage swings - the vibration of the electronic components of the driver and the consequent risk of components unsoldering.

🌡️ Heat resistant - Working temperature -30°+80°C

- **Gold wire bonding:** Chips connected by pure gold wires, which are able to withstand at the highest and lowest temperatures and at temperature fluctuations between day and night. The gold wire bonding can grant a lumens maintenance factor > 80%.
- **Silicone paste:** Thermoconductive silicone paste with metal powder inside for helping heat dissipation and avoid overheating problems and for protecting the electronic components in case of high and low temperatures.

🔥 Humidity resistant - Weatherproof driver for a longer lifetime

- **Silicone paste:** The driver is fully enclosed in a special silicone paste, which ensures the highest driver protection against moisture and humidity up to 90%, both unavoidable in outdoor installations.



Tested according to :
EN 62560:2012/A1: 2015
IEC/TR 62778:2014
EN 62493:2015

LVD
TESTED

LVD Certificate: Fumagalli lamps fulfil the Low Voltage Directive 2014/35/EU, therefore are CE marked and comply with safety requirements like protection against electrical shock, moisture and heat resistance, resistance to flame and ignition.




EMC
TESTED

EMC Certificate: Fumagalli lamps meet the Electromagnetic Compatibility Directive 2014/30/EU

ERP
6000 h

ERP Attestation of conformity: Fumagalli lamps fulfil the European Ecodesign Directive 2009/125/EC about the energy performance requirements of energy related products.



R7s LED 78mm

SILICONE PROTECTION

DRIVER



INDOOR & OUTDOOR USE

-30 +80 °C | 90% HUMIDITY

VOLTAGE SURGE RESISTANT





R7s

NEW




LVD tested
EMC tested
ERP 6000h




POWER	NEW 4 W	
LUMINOUS FLUX	400 lm	
EFFICIENCY	100 Lm/W	
VOLTAGE	100-240 V	
FREQUENCY	50/60 Hz	
CURRENT	75 mA	
POWER FACTOR	> 0,5	
CRI (RA)	> 80	
BEAM ANGLE	360°	
WARM UP TIME	≤ 0,5"	
SWITCHING CYCLE	45.000	
LIFETIME	25.000 h	
KELVIN	4000 K	3000 K
REF. CODE	H7.LED.R7S.4K	H7.LED.R7S.3K

R7s LED 118mm

SILICONE PROTECTION


DRIVER




INDOOR & OUTDOOR USE

-30 +80 °C | 90% HUMIDITY

VOLTAGE SURGE RESISTANT





R7s

NEW




LVD tested
EMC tested
ERP 6000h




POWER	NEW 8,5 W	
LUMINOUS FLUX	900 lm	
EFFICIENCY	106 Lm/W	
VOLTAGE	100-240 V	
FREQUENCY	50/60 Hz	
CURRENT	168 mA	
POWER FACTOR	> 0,5	
CRI (RA)	> 80	
BEAM ANGLE	360°	
WARM UP TIME	≤ 0,5"	
SWITCHING CYCLE	45.000	
LIFETIME	25.000 h	
KELVIN	4000 K	3000 K
REF. CODE	H8.LED.R7S.4K	H8.LED.R7S.3K

R7s LED 189mm

SILICONE PROTECTION


DRIVER




INDOOR & OUTDOOR USE

-30 +80 °C | 90% HUMIDITY

VOLTAGE SURGE RESISTANT





R7s

NEW




LVD tested
EMC tested
ERP 6000h



POWER	NEW 11 W	
LUMINOUS FLUX	1200 lm	
EFFICIENCY	110 Lm/W	
VOLTAGE	100-240 V	
FREQUENCY	50/60 Hz	
CURRENT	170 mA	
POWER FACTOR	> 0,5	
CRI (RA)	> 80	
BEAM ANGLE	360°	
WARM UP TIME	≤ 0,5"	
SWITCHING CYCLE	45.000	
LIFETIME	25.000 h	
KELVIN	4000 K	3000 K
REF. CODE	H9.LED.R7S.4K	H9.LED.R7S.3K

E27 HIGH POWER LED

 <p>NEW</p>		POWER	15 W NEW		30 W	
		LUMINOUS FLUX	1500 lm		3300 lm	
		EFFICIENCY	100 Lm/W		110 Lm/W	
		VOLTAGE	100-240 V		100-240 V	
		FREQUENCY	50/60 Hz		50/60 Hz	
		CURRENT	130 mA		135 mA	
		POWER FACTOR	> 0,5		> 0,9	
		COLOR RENDERING INDEX RA	> 80		> 80	
		BEAM ANGLE	200°		200°	
		WARM UP TIME	< 0,5"		< 1"	
		SWITCHING CYCLE	30.000		30.000	
		LIFETIME	25.000 h		25.000 h	
 <p>SILICONE PROTECTION DRIVER</p> <p>INDOOR & OUTDOOR USE</p> <p>-30 +80 °C 90% HUMIDITY</p> <p>VOLTAGE SURGE RESISTANT</p>	 <p>Ø100</p> <p>165</p> <p>E27</p>	KELVIN	4000 K	3000 K	4000 K	3000 K
		REF. CODE	H3.LED.HIP.4K	H3.LED.HIP.3K	H2.LED.HIP.4K	H2.LED.HIP.3K
		COMPARISON	 <p>15W 1500 Lm = 100W incandescent</p> <p>SAVE 85%</p>		 <p>30W 3300 Lm = 50W HQI-SON</p> <p>SAVE 40%</p>	

E27 HIGH POWER LED

 <p>NEW</p>		POWER	50 W	
		LUMINOUS FLUX	5000 lm	
		EFFICIENCY	100 Lm/W	
		VOLTAGE	100-240 V	
		FREQUENCY	50/60 Hz	
		CURRENT	210 mA	
		POWER FACTOR	> 0,9	
		COLOR RENDERING INDEX RA	> 80	
		BEAM ANGLE	200°	
		WARM UP TIME	< 1"	
		SWITCHING CYCLE	30.000	
		LIFETIME	25.000 h	
 <p>SILICONE PROTECTION DRIVER</p> <p>INDOOR & OUTDOOR USE</p> <p>-30 +80 °C 90% HUMIDITY</p> <p>VOLTAGE SURGE RESISTANT</p>	 <p>Ø118</p> <p>185</p> <p>E27</p>	KELVIN	4000 K	3000 K
		REF. CODE	H.LED.HIP.4K	H.LED.HIP.3K
		COMPARISON	 <p>50W 5000 Lm = 70W HQI-SON</p> <p>SAVE 30%</p>	

E27 LED FILAMENT A60

 <p>NEW 4000K</p> <p>CE LVD tested EMC tested TUV SUD ERP 6000h</p>	 <p>Ø60</p> <p>110</p> <p>E27</p>	POWER	6 W		8 W	
		LUMINOUS FLUX	800 lm		1000 lm	
		EFFICIENCY	133 Lm/W		125 Lm/W	
		VOLTAGE	100-240 V		100-240 V	
		FREQUENCY	50/60 Hz		50/60 Hz	
		CURRENT	60 mA		76 mA	
		POWER FACTOR	> 0,7		> 0,7	
		COLOR RENDERING INDEX RA	> 80		> 80	
		BEAM ANGLE	360°		360°	
		WARM UP TIME	≤ 0,5"		≤ 0,5"	
		SWITCHING CYCLE	> 100.000		> 100.000	
		LIFETIME	25.000 h		25.000 h	
 <p>SILICONE PROTECTION DRIVER</p> <p>INDOOR & OUTDOOR USE</p> <p>-30 +80 °C 90% HUMIDITY</p> <p>VOLTAGE SURGE RESISTANT</p>	 <p>110</p> <p>E27</p>	KELVIN	NEW 4000K	2700 K	NEW 4000K	2700 K
		REF. CODE	H.LED.FIL.4K		H.LED.FIL.3K	
		COMPARISON	6W 800 Lm = 60W incandescent  <p>SAVE 90%</p>		8W 1000 Lm = 75W incandescent  <p>SAVE 89%</p>	

E27 LED FILAMENT A70

 <p>NEW 4000K</p> <p>CE LVD tested EMC tested TUV SUD ERP 6000h</p>	 <p>Ø70</p> <p>130</p> <p>E27</p>	POWER	12 W			
		LUMINOUS FLUX	1500 lm			
		EFFICIENCY	125 Lm/W			
		VOLTAGE	100-240 V			
		FREQUENCY	50/60 Hz			
		CURRENT	100 mA			
		POWER FACTOR	> 0,7			
		COLOR RENDERING INDEX RA	> 80			
		BEAM ANGLE	360°			
		WARM UP TIME	≤ 0,5"			
		SWITCHING CYCLE	> 100.000			
		LIFETIME	25.000 h			
 <p>SILICONE PROTECTION DRIVER</p> <p>INDOOR & OUTDOOR USE</p> <p>-30 +80 °C 90% HUMIDITY</p> <p>VOLTAGE SURGE RESISTANT</p>	 <p>130</p> <p>E27</p>	KELVIN	NEW 4000K	2700K		
		REF. CODE	H3.LED.FIL.4K		H3.LED.FIL.3K	
		COMPARISON	12W 1500 Lm = 100W incandescent  <p>SAVE 88%</p>			

GU10 LED


		POWER	3,5 W	
		LUMINOUS FLUX	400 lm	
		EFFICIENCY	114 lm/W	
		VOLTAGE	100-240 V	
		FREQUENCY	50/60 Hz	
		CURRENT	70 mA	
		COLOR RENDERING INDEX RA	> 80	
		BEAM ANGLE	36°	
		WARM UP TIME	≤ 0,5"	
		SWITCHING CYCLE	> 25.000	
		LIFETIME	25.000 h	
<p>SILICONE PROTECTION DRIVER</p> <p>INDOOR & OUTDOOR USE</p> <p>-30 +80 °C 90% HUMIDITY</p> <p>VOLTAGE SURGE RESISTANT</p>		KELVIN	4000 K	3000 K
		REF. CODE	H.LED.GU10	H.LED.GU10.3K
		COMPARISON		



GX53 LED Ø75mm				
		POWER	3 W	
		LUMINOUS FLUX	350 lm	
		EFFICIENCY	116 Lm/W	
		VOLTAGE	100-240 V	
		FREQUENCY	50/60 Hz	
		CURRENT	30 mA	
		COLOR RENDERING INDEX RA	> 80	
		BEAM ANGLE	120°	
		WARM UP TIME	≤ 0,5"	
		SWITCHING CYCLE	> 30.000	
		LIFETIME	25.000 h	
<p>INDOOR & OUTDOOR USE</p> <p>-30 +80 °C 90% HUMIDITY</p> <p>VOLTAGE SURGE RESISTANT</p>		KELVIN	4000 K	3000 K
		REF. CODE	H.LED.G53	H.LED.G53.3K
		COMPARISON		

GX53 LED Ø100mm



POWER	7 W	10 W
LUMINOUS FLUX	800 lm	1200 lm
EFFICIENCY	114 Lm/W	120 Lm/W
VOLTAGE	100-240 V	100-240 V
FREQUENCY	50/60 Hz	50/60 Hz
CURRENT	34 mA	48 mA
POWER FACTOR	0,9	0,9
COLOR RENDERING INDEX RA	> 80	> 80
BEAM ANGLE	120°	120°
WARM UP TIME	≤ 0,5"	≤ 0,5"
SWITCHING CYCLE	> 30.000	> 30.000
LIFETIME	25.000 h	25.000 h







KELVIN	4000 K	3000 K	4000 K	3000 K
REF. CODE	H2.LED.G53	H2.LED.G53.3K	H3.LED.G53	H3.LED.G53.3K
COMPARISON	7W 800 Lm = 75W incandescent  SAVE 90%		10W 1200 Lm = 100W incandescent  SAVE 90%	

GX53 LED Ø180mm



POWER	7 W	11 W	18 W
LUMINOUS FLUX	600 lm	1300 lm	2000 lm
EFFICIENCY	86 Lm/W	118 Lm/W	111 Lm/W
VOLTAGE	100-240 V	100-240 V	100-240 V
FREQUENCY	50/60 Hz	50/60 Hz	50/60 Hz
CURRENT	60 mA	150 mA	200 mA
POWER FACTOR	0,5	0,9	0,9
CRI (RA)	> 80	> 80	> 80
BEAM ANGLE	90°	90°	90°
WARM UP TIME	≤ 0,5"	≤ 0,5"	≤ 0,5"
SWITCHING CYCLE	30.000	> 25.000	> 25.000
LIFETIME	25.000 h	25.000 h	25.000 h



KELVIN	4000 K	3000 K	4000 K	3000 K	4000 K	3000 K
REF. CODE	H6.LED.G53.4K	H6.LED.G53.3K	H4.LED.G53	H4.LED.G53.3K	H5.LED.G53.4K	H5.LED.G53.3K
COMPARISON	7W 600 Lm = 60W incandescent  SAVE 88%		11W 1300 Lm = 100W incandescent  SAVE 89%		18W 2000 Lm = 150W incandescent  SAVE 88%	

LOOKING FOR A CLASSIC DESIGN PRODUCT?

See our **Top selection 2018** dedicated to our **classic range!**



TO SEE OUR COMPLETE COLLECTION

Ask for our **NEW General Catalogue 2019**
or visit our website at
www.fumagalli.it



137
DISTRIBUTORS
ALL OVER THE WORLD

MADE IN ITALY

RESIN MATERIAL ADVANTAGES



NO MAINTENANCE



ANTI-CORROSION



DOUBLE INSULATION



NOT AFFECTED BY CHEMICAL FERTILIZERS



UV-RAY STABILIZED



RECYCLABLE



UV TREATED



DOUBLE INSULATION



ANTI-SHOCK



TEMPERATURE



ENERGY SAVING



RESIDENTIAL



PUBLIC

HOW TO READ THE CODE

DIFFUSER		STRUCTURE		SYSTEM		COLOUR OF THE STRUCTURE		COLOUR OF THE DIFFUSER		ELECTRIFICATION		VARIANT	
IDENTIFIES THE DIFFUSER		IDENTIFIES THE STRUCTURE ON WHICH THE DIFFUSER IS MOUNTED (POLE, BRACKET, BASE, SPIKE)		IDENTIFIES THE MULTILIGHT SYSTEM IF PRESENT		IDENTIFIES THE COLOUR OF THE STRUCTURE		IDENTIFIES THE COLOUR OF THE DIFFUSER		IDENTIFIES THE TYPE OF ELECTRIFICATION AND THE EVENTUAL PRESENCE OF BULBS		IDENTIFIES THE PRESENCE OF COMPONENTS SUCH AS AN EVENTUAL LOUVRE OR BACKLIT BASE ON THE BULK-HEAD RANGE	
1	R3	6	13	X	20	A	A	Y	B	1	O	R	1

MADE IN ITALY

